

BEAR TRACK™

ALUMINUM TRAILERS



ALUMINUM TRAILERS

TOUGH. DURABLE. QUALITY.

BEARTRACKTRAILERS.COM

A Product of **voyager**
INDUSTRIES

TOUGH YOU CAN DEPEND ON.

Tough. Durable. Quality. Bear Track Aluminum Trailers™ are designed and engineered to be the most dependable trailer on the market, ready for all kinds of use from your toughest jobs, work or play. From hauling your work equipment from job to job, to hauling your toys up the gnarly mountain pass for a weekend of adventure, Bear Track™ is your trailering solution.



MADE IN THE USA



A WARRANTY AS STRONG AS THE TRAILER

We manufacture the toughest trailer, and to back that statement up we offer an industry-leading **5 Year Limited Warranty.**



WHAT'S INSIDE

 A Product of Voyager Industries	2	 Bear Track Products	
		• Utility Trailers Single Axle	5
 Bear Track Craftsmanship	3	• Utility Trailers Tandem Axle	6
 Why Choose Bear Track?	4	• Utility Trailer Ramp Options	7
		• Tilt Utility Trailers	8
		• Car Haulers	9
		• Recreational Trailers	10
		• Parts & Accessories	11
		 Model Specifications	13



A PRODUCT OF

ABOUT US

Located in the heart of the Minnesota lakes area, Voyager Industries is a leading manufacturer, distributor, and fabricator of aluminum. Voyager Industries manufactures multiple products trusted by customers around the world. Proprietary brands include **Bear Track Trailers, Yetti Fish Houses™, Titan Deck®, and Voyager Dock®.**

We understand the needs and demands of our industry for quality performing products. We are driven to create those products while exceeding our customers' expectations, by engineering and constructing industry leading products that are backed with industry leading warranties and support. Through innovation and hard work our team is proud to manufacture quality products that are time-tested to be durable and reliable.

Driven through innovation, integrity, and quality craftsmanship.

Voyager-Industries.com
800-980-4940

ENGINEERED

FOR STRENGTH & DURABILITY



ALL ALUMINUM CONSTRUCTION

Bear Track Trailers' all-aluminum construction creates the ultimate lightweight, virtually maintenance-free trailer.



DECKING THAT'S BUILT TO LAST

All Bear Track Trailers come standard with extruded aluminum decking which eliminates deck warping, splinters, and cracks. These custom extrusions with specifically engineered contours also add to the trailer's overall strength and rigidity.



RUBBER TORSION AXLE *W/ EASY-ACCESS GREASE FITTING*

Design reduces frame flex in cross winds and on rough roads. There's no shock transfer from wheel to wheel and it lasts longer than traditional spring axles.



TOUCHPOINT WELD SYSTEM

Strategically placed welds where the deck meets the cross members add strength and rigidity to the trailer. You won't find this on the competition!



LED LIGHTING

LED lighting to match our trailers durability. Built to DOT and NATM specifications.



ENCLOSED AND JACKETED WIRING

Bear Track's WireGuard system ensures your wiring is protected from the elements and is something you never need to worry about. The harness is corrosion resistant and virtually maintenance free.



QUIETRIDE NOISE REDUCTION

The quietest trailers on the market! Minimal rattling and road noise. It's so quiet you'll forget you're pulling a trailer.



WISHBONE TONGUE DESIGN

All Bear Track trailers come standard with a wishbone tongue design, adding extra strength to the tongue and trailer frame – one tough trailer!



BEAR TRACK FIT AND FINISH

Bear Track Trailers are built with an industry-leading fit and finish quality. For over 20 years our team has taken pride in providing customers with the best-looking trailer, from aesthetics, to weld quality.



ALL ALUMINUM RIMS

All-aluminum rims to match an all-aluminum trailer. Bear Track trailer rims are maintenance free, and sharp looking.



TONGUE JACK

Our trailers are manufactured with the customer in mind. All come standard with tongue jacks for your convenience.



BOLT-ON ALUMINUM FENDERS

Whether you need to remove the fenders for loading, or damage occurred, removal is as simple as a few bolts on a Bear Track.



RAISED FRONT RAIL WITH CURVED EDGE

An often overlooked feature that adds extra security in the front for your load, and provides a tie down point.



CUSTOM EXTRUDED SIDE RAILS

For both strength and esthetics, Bear Track's proprietary extrusions consistently get the job done.



SMARTDRAIN SYSTEM NORTHERN CLIMATE PROTECTION

Eliminates pooling water from the deck and inside the trailer framing – no unnecessary water weight or freeze risks.

WHY CHOOSE A

BEAR TRACK?

- /// Quality & Craftsmanship
- /// Lower Maintenance
- /// Exceptional Trailer Practicality & Design
- /// Fuel Economy
- /// Best Value backed by an Industry Leading Warranty

Bear Track aluminum trailers are built from a tough you've never seen before. Manufactured to the highest standards, Bear Track trailers are engineered to withstand the harshest environments and toughest loads!



UTILITY TRAILERS

SINGLE AXLE

9 MODELS



SINGLE 2,200 LB AXLE TRAILERS

GVWR: Up to 2,200 LB
Carrying Capacity: Up to 1800 LB
Length: 96" - 144"

See inside back cover for complete product specifications

BEST USES

- Lawn Mowers
- Golf Carts
- Yard Debris
- ATV/UTV's

TOP ACCESSORIES

- Spare Tire and Mount
- Front Rock Guard
- Open Side Kit (1, 2, and 3 Rail)
- Solid Side Kit (1' and 2')
- D-Ring Tie Downs



4 MODELS



SINGLE 3,500 LB AXLE TRAILERS

GVWR: Up to 3,500 LB
Carrying Capacity: Up to 2,780 LB
Length: 120" - 168"

See inside back cover for complete product specifications

BEST USES

- Commercial Lawn Mowers
- Light Duty Equipment
- Building Supplies
- ATV/UTV's



MODEL BTU65120S with 12" rock guard and 12" sides



MODEL BTU76144F with 1 rail front and sides



MODEL BTU80144F with rock guard, 3 rail sides, side load bi-fold and rear bi-fold

TANDEM AXLE

4 MODELS



BTT80192F

TANDEM 2,200 LB AXLE TRAILERS

GVWR: Up to 4,400 LB

Carrying Capacity: Up to 3,505 LB

Length: 168" - 192"

See inside back cover for complete product specifications

BEST USES

- Commercial Lawn Mowers
- ATV/UTV's
- Building Supplies
- Light Duty Equipment

TOP ACCESSORIES

- Spare Tire and Mount
- Front Rock Guard
- Open Side Kit (1, 2, and 3 Rail)
- Solid Side Kit (1' and 2')
- D-Ring Tie Downs



4 MODELS



BTT81170S w/ optional rock guard

TANDEM 3,500 LB AXLE TRAILERS

GVWR: Up to 7,000 LB

Carrying Capacity: Up to 5,810 LB

Length: 170" - 242"

See inside back cover for complete product specifications

BEST USES

- Commercial Lawn Mowers
- Light Duty Tractors
- Jeeps and Small Vehicles
- Multiple ATV/UTV's



MODEL BTT80192F with rock guard and 3 rail side load open side kit



MODEL BTT81194S with 3 rail open front and 3 rail open sides



MODEL BTT81194S with rock guard and 24" solid sides

UTILITY TRAILER *END RAMPS*



ARCHED BI-FOLD AEROSMART END RAMP

Standard with Single 2,200 LB Axle Trailers

Industry Exclusive

QuietRide Noise Reduction System

The quietest trailers on the market! Minimal rattling and road noise. It's so quiet you'll forget you're pulling a trailer

Ramp Length: 41"

WEIGHT RATING

Total: 1,200 LB | Per Axle: 600 LB | Per Wheel: 300 LB

STRAIGHT FOLD FLAT END RAMP

Standard with Single 3,500 LB Axle
and Tandem 2,200 LB Axle Trailers

Ramp folds flat to trailer deck and locks in place for hauling long material, and better gas mileage when towing empty.

Ramp Length: 46"

WEIGHT RATING

Total: 2,500 LB | Per Axle: 1,500 LB | Per Wheel: 750 LB



STRAIGHT END RAMP

Standard with Tandem 3,500 LB Axle Trailers

Heavy Duty end ramp with Spring assist for easy raising and lowering

Ramp Length: 61"

WEIGHT RATING

Total: 4,500 LB | Per Axle: 3,500 LB | Per Wheel: 1,750 LB

OPTIONAL BI-FOLD VERSION



OPTIONAL BI-FOLD VERSION



TILT UTILITY TRAILERS

3 MODELS



BTU81176T W/ optional slingshot ramp accessory BTA0041

SINGLE 3,500 LB AXLE TILT TRAILER

GVWR: Up to 3,500 LB

Carrying Capacity: Up to 2,815 LB

Length: 128" - 176"

Tilt Angle: 12 - 16°

See inside back cover for complete product specifications

BEST USES

- Vehicles w/ Low Clearance
- Golf Carts
- ATVs / UTVs
- Lawn Mowers

TOP ACCESSORIES

- Spare Tire and Mount
- Front Rock Guard
- 25" Open Side Kits
- 24" Solid Side Kits
- D-ring Tie Downs



2 MODELS



BTU79176T with optional front rock guard

SINGLE 5,200 LB AXLE TILT TRAILER

GVWR: Up to 5,000 LB

Carrying Capacity: Up to 4,115 LB

Length: 152" - 176"

Tilt Angle: 14 - 16°

See inside back cover for complete product specifications

BEST USES

- Vehicles w/ Low Clearance
- ATVs / UTVs
- Light Duty Equipment
- Lawn Mowers



MODEL BTU81176T

CAR HAULERS

4 MODELS



BTC81216B

CLASSIC

GVWR: Up to 9,990 LB

Carrying Capacity: Up to 8,115 LB

Length: 192" - 240"

See inside back cover for complete product specifications

BEST USES

- Cars and Trucks
- Medium Duty Equipment
- Material Hauling
- ATV/UTV's

TOP FEATURES

- Bolt-On Aluminum Fenders
- 4 D-Ring Tie Downs

TOP ACCESSORIES

- Spare Tire and Mount
- Front Rock Guard
- Rear Stabilizing Legs
- Back-up Lights



CLASSIC TRAILER DESIGN OPTIONS



STRAIGHT DESIGN



BEAVERTAIL DESIGN

3 MODELS



BTC81242T

TILT DECK

Manual Hydraulic:

GVWR: Up to 9,990 LB

Carrying Capacity: Up to 8,050 LB

Length: 218" - 242"

Tilt Angle: 8 - 9° includes control valve

See inside back cover for complete product specifications

BEST USES

- Cars and Trucks
- Medium Duty Equipment
- Material Hauling
- ATV/UTV's



MODEL BTC81216B



MODEL BTC81242T

RECREATIONAL TRAILERS

3 MODELS



ATV

GVWR: Up to 2,990 LB

Carrying Capacity: Up to 2,330 LB

Length: 120" - 168"

See inside back cover for complete product specifications

TOP FEATURES

- Side Loading Only
- Curled Front Rail With Integrated Ramp Storage
- All Aluminum Trailer & Deck

TOP ACCESSORIES

- Front Rock Guard
- Spare Tire and Mount
- Traction Mats

3 MODELS



MOTORCYCLE

GVWR: Up to 2,550 LB

Carrying Capacity: Up to 2,100 LB

Length: 120" - 132"

See inside back cover for complete product specifications

TOP FEATURES

- V-Front Design
- Aerosmart Bi-fold End Ramp
- Stake Pockets
- All Aluminum Trailer & Deck

TOP ACCESSORIES

- Spare Tire and Mount
- V Front Rock Guard
- 24" Open Side Kit
- Wheel Chock
- D-Ring Tie Downs

6 MODELS



SNOWMOBILE

GVWR: Up to 4,400 LB

Carrying Capacity: Up to 3,100 LB

Length: 120" - 264"

See inside back cover for complete product specifications

TOP FEATURES

- All-Aluminum Frame
- Custom Extruded Deep Side Rail
- 5/8" Marine Grade Decking

TOP ACCESSORIES

- Spare Tire and Mount
- Salt Shield / Drive Off Ramps (Select Models)
- Traction Mats
- Tie Down Bar w/Crank Handle



MODEL BTX82144S



MODEL BTM65120S



MODEL BTS99192S



PARTS & ACCESSORIES



MADE IN THE USA

UTILITY TRAILER STRAIGHT FRONT ROCK GUARDS

(extruded aluminum, 24" total height)

- BTA0120 53" Front Rock Guard, 24" Total Height
- BTA0121 65" Front Rock Guard, 24" Total Height
- BTA0122 76" Front Rock Guard, 24" Total Height
- BTA0123 79" Front Rock Guard, 24" Total Height
- BTA0124 80" Front Rock Guard, 24" Total Height
- BTA0125 81" Front Rock Guard, 24" Total Height
- BTA0126 82" Front Rock Guard, 24" Total Height

MOTORCYCLE TRAILER FRONT ROCK GUARDS

- BTA0042 V-Font Rock Guard (53 X 120V Motorcycle Trailer)
- BTA0043 V-Font Rock Guard (65 X 120V Motorcycle Trailer)
- BTA0044 V-Font Rock Guard (76 X 132V Motorcycle Trailer)

81" WIDE TANDEM AXLE UTILITY TRAILER ACCESSORIES

- BTA0109 Bolt-on Stake Pocket, Large
- BTA0055 1 - Recessed D-Ring Tie Down Kit (6,000 lb)
- BTA0108 Rear Stabilizing Leg Kit
(contains parts for 1 side of trailer)
- BTA0057 Back-up Light Kit

UTILITY TRAILER STRAIGHT FRONT ROCK GUARDS

(extruded aluminum, 12" total height, for use with 12" solid sides)

- BTA0141 53" Front Rock Guard, 12" Total Height
- BTA0142 65" Front Rock Guard, 12" Total Height
- BTA0143 76" Front Rock Guard, 12" Total Height
- BTA0145 80" Front Rock Guard, 12" Total Height
- BTA0147 82" Front Rock Guard, 12" Total Height

CAR HAULER ACCESSORIES

- BTA0015 Bolt-on Stake Pockets
- BTA0014 Rear Stabilizing Leg Kit (contains parts for 1 side of trailer)
- BTA0055 1 - Recessed D-Ring Tie Down Kit (6,000 lb)
- BTA0056 Front Aluminum Tool Box
- BTA0106 Kit, Mini Ramp - 3-Board (Tilt CH)
- BTA0107 Kit, Mini Ramp - 2-Board (Tilt CH)
- BTA0057 Back-up Light Kit

SIDE RAMPS & END GATES

- BTA0067 Bi-Fold Side Gate (Utility and HD Utility)
- BTA0008 79" Tilt Utility End Kit
- BTA0004 81" Tilt Utility End Kit
- BTA0041 81" Slingshot® Ramp Accessory (Fits BTU81176T)
- V002471 53" x 48" Straight One Piece Ramp
- V002470 65" x 48" Straight One Piece Ramp
- V002469 76" x 48" Straight One Piece Ramp
- V002463 80" x 48" Straight One Piece Ramp
- V002468 82" x 48" Straight One Piece Ramp

SIDE KIT RAILS

UTILITY TRAILER OPEN FRONT KIT

(1 Rail Front, Used with 10" and 12" Open Side Kits)

BTA0180	1-Rail, 53"
BTA0181	1-Rail, 65"
BTA0182	1-Rail, 76"
BTA0183	1-Rail, 80"
BTA0184	1-Rail, 82"

UTILITY TRAILER OPEN SIDE KITS

(12" tall, 2 rail driver and passenger sides, requires front kit)

BTA0170	2-Rail, 12" x 96"
BTA0171	2-Rail, 12" x 120"
BTA0172	2-Rail, 12" x 144"
BTA0173	2-Rail, 12" x 168"
BTA0174	2-Rail, 12" x 192"

UTILITY TRAILER OPEN SIDE KITS

(10" tall, 1 rail driver and passenger sides, requires front kit or rock guard)

BTA0191	1-Rail, 10" x 120"
BTA0192	1-Rail, 10" x 144"

UTILITY TRAILER OPEN FRONT KIT

(24" tall, 3 rail front, sides required)

BTA0185	3-Rail, 53"
BTA0186	3-Rail, 65"
BTA0187	3-Rail, 76"
BTA0188	3-Rail, 80"
BTA0153	3-Rail, 81"
BTA0189	3-Rail, 82"

UTILITY TRAILER OPEN SIDE KITS

(24" tall, 3 rail driver and passenger sides, requires front kit or rock guard)

BTA0175	3-Rail, 24" x 96"
BTA0176	3-Rail, 24" x 120"
BTA0177	3-Rail, 24" x 144"
BTA0178	3-Rail, 24" x 168"
BTA0149	3-Rail, 24" x 170"
BTA0179	3-Rail, 24" x 192"
BTA0150	3-Rail, 24" x 194"
BTA0151	3-Rail, 24" x 218"
BTA0152	3-Rail, 24" x 242"

UTILITY TRAILER SOLID SIDE KITS

(24" tall, passenger and drivers side, requires front kit or rock guard)

BTA0130	24" x 96"
BTA0131	24" x 120"
BTA0132	24" x 128"
BTA0133	24" x 144"
BTA0134	24" x 152"
BTA0135	24" x 168"
BTA0136	24" x 170"
BTA0137	24" x 176"
BTA0138	24" x 194"
BTA0139	24" x 218"
BTA0140	24" x 242"

UTILITY TRAILER SOLID SIDE KITS

(12" tall, passenger and drivers side, requires front kit)

BTA0148	12" x 96"
BTA0127	12" x 120"
BTA0128	12" x 144"
BTA0129	12" x 168"

BI-FOLD SIDE LOAD OPEN SIDE KITS

(requires front kit or rock guard)

BTA0162	3-Rail, 24" x 144"
BTA0163	3-Rail, 24" x 168"
BTA0067	Bi-fold Side Gate (Utility and HD Utility, doesn't require sides or front)

SIDE LOAD OPEN SIDE KITS

(requires rock guard)

BTA0159	3-Rail, 24" x 144"
BTA0160	3-Rail, 24" x 168"
BTA0161	3-Rail, 24" x 192"

TILT TRAILER OPEN SIDE KITS

BTA0010	79" Front Rail Kit (open)
BTA0006	81" Front Rail Kit (open)
BTA0007	120" Open Side Kit (25" tall, no end gate, fits 128")
BTA0005	144" Open Side Kit (25" tall, no end gate, fits 152")
BTA0003	168" Open Side Kit (25" tall, no end gate, fits 176")

MOTORCYCLE TRAILER OPEN SIDE KITS

BTA0098	120" V Open Side Kit (24" tall, fits 53" and 65" wide)
BTA0099	76" x 132" V Open Side Kit (24" tall)
BTA0100	80" x 142" V Open Side Kit (24" tall)

ELECTRIC BRAKE REPLACEMENT PARTS

50142 Breakaway Kit with Charger

SPARE TIRE CARRIER

BTA0012	Spare Tire Side Rail Mount
BTA0032	Spare Tire Tongue Mount
50145	U Bolt Tire Carrier (snowmobile trailers only)

MOTORCYCLE TRAILER WHEEL CHOCKS

BTA0047	4.5" Wheel Chock
BTA0046	7" Wheel Chock

TIRES/WHEELS

50122	10" Painted Spoke Wheel and Tire
50007	12" Painted Spoke Wheel and Tire
50009	12" Aluminum Wheel and Tire
50003	13" Painted Spoke Wheel and Tire
50004	13" Aluminum Wheel and Tire
50010	14" Painted Spoke Wheel and Tire
50012	14" Aluminum Wheel and Tire
50306	15" Aluminum Wheel and Tire (6 bolt)
50559	15" Aluminum Wheel and Tire (5 bolt)
50750	15" Painted Spoke Wheel and Tire (5 bolt)

LIGHTS & ELECTRICAL

50034	LED Utility Tail Light (right)
50034	LED Utility Tail Light (left)
50153	LED Utility Rear I.D. Bar
50210	LED Utility Clearance Light
50109	Utility Tail Light (right)
50110	Utility Tail Light (left)
50114	Utility Rear I.D. Bar (mid/rear)
50111	Utility Clearance Light (front/side)

END GATE PARTS

V001906	21.5" End Gate Brace
V001384	29.5" End Gate Brace
V001572	33.25" End Gate Brace
V001574	33.5" End Gate Brace
V003206	Passenger Side End Gate Brace (BTU76144 with 3,500# axle)
V003205	Driver Side End Gate Brace (BTU76144 with 3,500# axle)
V001570	Rubber Latch Handle (medium)
50116	Rubber Grommet (for end gate brace)

FENDERS

DRIVER SIDE

	Axle
V001737	9" Utility Fender Single
V001741	10" Utility Fender Single
V001747	10" Utility Fender Tandem
V001890	9" Tilt Utility Fender Single
V001427	10" Tilt Utility Fender Single

PASSENGER SIDE

	Axle
V001738	9" Utility Fender Single
V001740	10" Utility Fender Single
V001748	10" Utility Fender Tandem
V001155	9" Tilt Utility Fender Single
V001432	10" Tilt Utility Fender Single

MISC. FENDERS

	Axle
V001509	Car Hauler Fender Tandem
(Driver and Passenger Side)	
V002662	HD Utility Tandem
(Driver and Passenger Side)	
V002997	10" Backer Mount (Driver Side)
V002998	10" Backer Mount (Passenger Side)

MODEL SPECIFICATIONS



MADE IN THE USA

SINGLE AXLE UTILITY TRAILERS

Model	Bed Width	Bed Length	Carrying Capacity	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTU53096S	53"	96"	1,800 lbs	2,100 lbs	2,200# Torsion	1	ST175-80-R13-C	300 lbs
BTU53120S	53"	120"	1,800 lbs	2,165 lbs	2,200# Torsion	1	ST175-80-R13-C	365 lbs
BTU65096S	65"	96"	1,800 lbs	2,125 lbs	2,200# Torsion	1	ST175-80-R13-C	325 lbs
BTU65120S	65"	120"	1,800 lbs	2,190 lbs	2,200# Torsion	1	ST175-80-R13-C	390 lbs
BTU65144S	65"	144"	1,775 lbs	2,200 lbs	2,200# Torsion	1	ST175-80-R13-C	425 lbs
BTU76120S	76"	120"	1,775 lbs	2,190 lbs	2,200# Torsion	1	ST175-80-R13-C	415 lbs
BTU76144S	76"	144"	1,750 lbs	2,190 lbs	2,200# Torsion	1	ST175-80-R13-C	440 lbs
BTU82120S	82"	120"	1,775 lbs	2,200 lbs	2,200# Torsion	1	ST175-80-R13-C	425 lbs
BTU82144S	82"	144"	1,750 lbs	2,200 lbs	2,200# Torsion	1	ST175-80-R13-C	450 lbs
BTU76120F	76"	120"	2,430 lbs	2,990 lbs	3,500# Torsion	1	ST205-75-R15C	560 lbs
BTU76144F	76"	144"	2,390 lbs	2,990 lbs	3,500# Torsion	1	ST205-75-R15C	600 lbs
BTU80144F	80"	144"	2,320 lbs	2,990 lbs*	3,500# Torsion	1	ST205-75-R15-C	670 lbs
BTU80168F	80"	168"	2,270 lbs	2,990 lbs*	3,500# Torsion	1	ST205-75-R15-C	720 lbs

*GVWR and Carrying Capacity listed without electric brakes

TANDEM AXLE UTILITY TRAILERS

Model	Bed Width	Bed Length	Carrying Capacity	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTT80168F	80"	168"	2,130 lbs	2,990 lbs*	2,200# Torsion	2	ST175-80-R13-C	860 lbs
BTT80168F	80"	168"	3,505 lbs	4,400 lbs	2,200# Torsion	2	ST175-80-R13-C	895 lbs
BTT80192F	80"	192"	2,080 lbs	2,990 lbs*	2,200# Torsion	2	ST175-80-R13-C	910 lbs
BTT80192F	80"	192"	3,455 lbs	4,400 lbs	2,200# Torsion	2	ST175-80-R13-C	945 lbs
BTT81170S	81"	170"	5,810 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14-C	1,190 lbs
BTT81194S	81"	194"	5,760 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14-C	1,240 lbs
BTT81218S	81"	218"	5,710 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14-C	1,290 lbs
BTT81242S	81"	242"	5,660 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14-C	1,340 lbs

*GVWR and Carrying Capacity listed without electric brakes

TILT UTILITY TRAILERS

Model	Bed Width	Bed Length	Carrying Capacity	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTU81128T	81"	128"	2,340 lbs *	2,990 lbs**	3,500# Torsion	1	ST205-75-R14-C	650 lbs
BTU81152T	81"	152"	2,290 lbs *	2,990 lbs**	3,500# Torsion	1	ST205-75-R14-C	700 lbs
BTU81176T	81"	176"	2,240 lbs *	2,990 lbs**	3,500# Torsion	1	ST205-75-R14-C	750 lbs
BTU79152T	79"	152"	4,115 lbs	5,000 lbs	5,200# Torsion	1	ST225-75-R15-D	885 lbs
BTU79176T	79"	176"	4,050 lbs	5,000 lbs	5,200# Torsion	1	ST225-75-R15-D	950 lbs

*Carrying capacity = 2,750 lbs with optional brakes

**GVWR without electric brakes

ATV/UTV TRAILERS

Model	Bed Width	Bed Length	Carrying Capacity	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTX82120S	82"	120"	2,330 lbs	2,810 lbs	3,000# Torsion	1	20.5X8X10-E	480 lbs
BTX82144S	82"	144"	2,330 lbs	2,855 lbs	3,000# Torsion	1	20.5X8X10-E	525 lbs
BTX82168S	82"	168"	2,330 lbs	2,990 lbs	3,000# Torsion	1	20.5X8X10-E	660 lbs

MOTORCYCLE TRAILERS

Model	Bed Width	Bed Length	Carrying Capacity	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTM53120S	53"	120"	1,800 lbs	2,175 lbs	2,200# Torsion	1	ST175-80-R13-C	375 lbs
BTM65120S	65"	120"	1,765 lbs	2,175 lbs	2,200# Torsion	1	ST175-80-R13-C	410 lbs
BTM76132S	76"	132"	2,100 lbs	2,550 lbs	3,000# Torsion	1	ST175-80-R13-C	450 lbs

SNOWMOBILE TRAILERS

Model	Bed Width	Overall Width	Bed Length	Carrying Capacity	GVWR	Axle Type	# of Axles	Brake Option	Tire Size	Trailer Weight	Tongue Jack	Ramp
BTS99120T	99.25"	101.5"	120"	1,380 Lbs.	1,870 lbs	2,200# Torsion	1	N/A	18.5x8C	490#	Opt.	N/A
BTS99144S	99.25"	101.5"	144"	1,580 Lbs.	2,200 lbs	2,200# Torsion	1	N/A	20.5x10C	620#	Opt.	Std.
BTS99192S	99.25"	101.5"	192"	1,990 Lbs.	2,991 lbs	2,200# Torsion	2	2	ST175-80R13(C)	1,000#	Std.	Std.
BTS99240S	99.25"	101.5"	240"	3,200 Lbs.	4,400 lbs	2,200# Torsion	2	2	ST175-80R13(C)	1,200#	Std.	Std.
BTS99264S	99.25"	101.5"	264"	3,100 Lbs.	4,400 lbs	2,200# Torsion	2	2	ST175-80R13(C)	1,300#	Std.	Std.

CAR HAULERS

Model	Bed Width	Bed Length	Capacity	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTC81216S	81"	216"	5,650 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14C	1,350 lbs
BTC81192B	81"	192"	5,650 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14C	1,350 lbs
BTC81216B	81"	216"	5,600 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14C	1,400 lbs
BTC81240B HD	81"	240"	8,115 lbs	9,990 lbs	5,200# Torsion	2	ST225-75-15D	1,875 lbs

TILT CAR HAULERS

Model	Bed Width	Bed Length	Capacity	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTC81218T	81"	218"	5,500 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14C	1,500 lbs
BTC81242T	81"	242"	5,450 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14C	1,550 lbs
BTC81242T HD	81"	242"	8,050 lbs	9,990 lbs	5,200# Torsion	2	ST225-75-15D	1,940 lbs



**BEAR
TRACK™**
ALUMINUM TRAILERS



**BUILT TOUGH FOR YOUR
NEXT ADVENTURE!**


CONNECT WITH US!



FACEBOOK



YOUTUBE



WEBSITE

Bear Track Trailers

803 Central Ave N
Brandon, MN 56315

1-800-417-0504

info@beartrackproducts.com

www.BearTrackTrailers.com

