




TOUGH. DURABLE. QUALITY.

BEARTRACKTRAILERS.COM



Tough. Durable. Quality. Bear Track Aluminum Trailers[™] are designed and engineered to be the most dependable trailer on the market, ready for all kinds of use from your toughest jobs, work or play. From hauling your work equipment from job to job, to hauling your toys up the gnarly mountain pass for a weekend of adventure, Bear Track[™] is your trailering solution.



MADE IN THE USA



A WARRANTY AS STRONG AS THE TRAILER

We manufacture the toughest trailer, and to back that statement up we offer an industry-leading **5 Year Limited Warranty** on aluminum decked trailers and **3 Year Limited Warranty** on wood decked trailers.

WHAT'S INSIDE

//// Bear Track Products A Product of Voyager 2 Industries Utility Trailers Single Axle 5 • Utility Trailers Tandem Axle 6 **Bear Track Craftsmanship** 3 Utility Trailer Ramp Options 7 Tilt Utility Trailers 8 Why Choose Bear Track? 4 9 Car Haulers Recreational Trailers 10 Parts & Accessories 11 **Model Specifications** 13

A PRODUCT OF VOYAGER

ABOUT US

Located in the heart of the Minnesota lakes area, Voyager Industries is a leading manufacturer, distributor, and fabricator of aluminum. Voyager Industries manufactures multiple products trusted by customers around the world. Proprietary brands include **Bear Track Trailers, Yetti Fish Houses™, Titan Deck®, and Voyager Dock®.**

We understand the needs and demands of our industry for quality performing products. We are driven to create those products while exceeding our customers' expectations, by engineering and constructing industry leading products that are backed with industry leading warranties and support. Through innovation and hard work our team is proud to manufacture quality products that are time-tested to be durable and reliable.

Driven through innovation, integrity, and quality craftsmanship.

Voyager-Industries.com 800-980-4940



FOR STRENGTH & DURABILITY



ALL ALUMINUM

Lightweight and virtually maintenance-free, our aluminum frame ensures durability. Choose from aluminum or wood deck trailers for strength and style.



DECKING THAT'S BUILT TO LAST

Bear Track Trailers prioritizes lasting performance. Our trailers, whether aluminum or wood deck, feature premium decking designed to withstand the test of time.



RUBBER TORSION AXLE w/ easy-access grease fitting

Design reduces frame flex in cross winds and on rough roads. There's no shock transfer from wheel to wheel and it lasts longer than traditional spring axles.



TOUCHPOINT WELD SYSTEM

Strategically placed welds where the deck meets the cross members add strength and rigidity to the trailer. You won't find this on the competition! Aluminum deck trailers only.



LED LIGHTING

LED lighting to match our trailers durability. Built to DOT and NATM specifications.



ENCLOSED AND JACKETED WIRING

Bear Track's WireGuard system ensures your wiring is protected from the elements and is something you never need to worry about. The harness is corrosion resistant and virtually maintenance free.



SIDE RAIL TIE DOWNS

Standard on most utility trailers, enjoy 2 or 3 integrated tie downs on each side.



WISHBONE TONGUE DESIGN

All Bear Track trailers come standard with a wishbone tongue design, adding extra strength to the tongue and trailer frame – one tough trailer!



BEAR TRACK FIT AND FINISH

Bear Track Trailers are built with an industry-leading fit and finish quality. For over 20 years our team has taken pride in providing customers with the best-looking trailer, from aesthetics, to weld quality.



ALL ALUMINUM RIMS

All-aluminum rims to match an all-aluminum trailer. Bear Track trailer rims are maintenance free, and sharp looking. *Optional upgrade on wood deck trailers.*



TONGUE JACK

Our trailers are manufactured with the customer in mind. All come standard with tongue jacks for your convenience.



BOLT-ON ALUMINUM FENDERS

Whether you need to remove the fenders for loading, or damage occurred, removal is as simple as a few bolts on a Bear Track.



RAISED FRONT RAIL WITH CURVED EDGE

Exclusive to our aluminum deck trailers, the curled front rail offers added rigidity and convenient tie-down points for secure hauling.



CUSTOM EXTRUDED SIDE RAILS

For both strength and esthetics, Bear Track's proprietary extrusions consistently get the job done.



SMARTDRAIN SYSTEM NORTHERN CLIMATE PROTECTION

Eliminates pooling water from the deck and inside the trailer framing – no unnecessary water weight or freeze risks.

WHY CHOOSE A



M Quality & Craftsmanship
 M Lower Maintenance
 M Exceptional Trailer Practicality & Design
 M Fuel Economy
 M Best Value backed by an Industry Leading Warranty

Bear Track aluminum trailers are built from a tough you've never seen before. Manufactured to the highest standards, Bear Track trailers are engineered to withstand the harshest environments and toughest loads!

UTILITY TRAILERS

SINGLE AXLE



SINGLE 2,200 LB AXLE TRAILERS

GVWR: Up to 2,200 LB Carrying Capacity: Up to 1800 LB Length: 96" - 144"

See inside back cover for complete product specifications

BEST USES

- Lawn Mowers
- Golf Carts
- Yard Debris
- ATV/UTV's

TOP ACCESSORIES

- Spare Tire and Mount
- Front Rock Guard
- Open Side Kit (1, 2, and 3 Rail)
- Solid Side Kit (1' and 2')
- D-Ring Tie Downs





5 Year Limited Warranty on aluminum decked trailers and 3 Year Limited Warranty on wood decked trailers.



4 MODELS



SINGLE 3,500 LB AXLE TRAILERS

GVWR: Up to 3,500 LB **Carrying Capacity:** Up to 2,780 LB **Length:** 120" - 168"

See inside back cover for complete product specifications

BEST USES

- Commercial Lawn Mowers
 Light Duty Equipment
- Building Supplies
- ATV/UTV's



MODEL BTU65120S with 12" rock guard and 12" sides



MODEL BTU76144F with 1 rail front and sides



MODEL BTU80144F with rock guard, 3 rail sides, side load bi-fold and rear bifold

TANDEM AXLE



TANDEM 2,200 LB AXLE TRAILERS

GVWR: Up to 4,400 LB Carrying Capacity: Up to 3,505 LB Length: 168" - 192"

See inside back cover for complete product specifications

BEST USES

- Commercial Lawn Mowers
 ATV/UTV's
- Building Supplies • Light Duty Equipment

TOP ACCESSORIES

- Spare Tire and Mount
- Front Rock Guard
- Open Side Kit (1, 2, and 3 Rail)
- Solid Side Kit (1' and 2')
- D-Ring Tie Downs



4 MODELS



BEAR





TANDEM 3,500 LB AXLE TRAILERS

GVWR: Up to 7,000 LB Carrying Capacity: Up to 5,810 LB Length: 170" - 242"

See inside back cover for complete product specifications

BEST USES

- Commercial Lawn Mowers
 Light Duty Tractors
- Jeeps and Small Vehicles
 Multiple ATV/UTV's



MODEL BTT80192F with rock guard and 3 rail side load open side kit



BTT81170S w/ optional rock guard

MODEL BTT81194S with 3 rail open front and 3 rail open sides



UTILITY TRAILER END RAMPS



FOLD FLAT STRAIGHT END RAMP

Standard with Single 2,200 LB Axle Trailers Ramp folds flat to trailer deck and locks in place for hauling long

material, and better gas mileage when towing empty.

Ramp Length: 45" WEIGHT RATING

Total: 1,800 LB | Per Axle: 900 LB | Per Wheel: 450 LB

FOLD FLAT RAMPS COME IN TWO OPTIONS: STRAIGHT OR BI-FOLD

FOLD FLAT STRAIGHT END RAMP

Standard with Single 3,500 LB Axle and Tandem 2,200 LB Axle Trailers

Ramp folds flat to trailer deck and locks in place for hauling long material, and better gas mileage when towing empty.

Ramp Length: 46" WEIGHT RATING Total: 2,500 LB | Per Axle: 1,500 LB | Per Wheel: 750 LB





STRAIGHT END RAMP

Standard with Tandem 3,500 LB Axle Trailers

Heavy duty end ramp with spring assist for easy raising and lowering

Ramp Length: 61"

WEIGHT RATING

Total: 4,500 LB | Per Axle: 3,500 LB | Per Wheel: 1,750 LB



MODEL BTU80144F with rock guard, 3 rail sides, side load bi-fold and rear bifold



MODEL BTU76144F with 1 rail front and sides



MODEL BTT81194S with 3 rail open front and 3 rail open sides

TILT UTILITY TRAILERS

3 MODELS



BTU81176T W/ optional slingshot ramp accessory BTA0041

SINGLE 3,500 LB AXLE TILT TRAILER

GVWR: Up to 3,500 LB Carrying Capacity: Up to 2,815 LB Length: 128" - 176" Tilt Angle: 12 - 16°

See inside back cover for complete product specifications

BEST USES

- Vehicles w/ Low Clearance Golf Carts
- ATVs / UTVs
- Lawn Mowers

TOP ACCESSORIES

- Spare Tire and Mount
- Front Rock Guard
- 25" Open Side Kits
- 24" Solid Side Kits
- D-ring Tie Downs













SINGLE 5,200 LB AXLE TILT TRAILER

GVWR: Up to 5,000 LB **Carrying Capacity:** Up to 4,115 LB **Length:** 152" - 176" **Tilt Angle:** 14 - 16°

See inside back cover for complete product specifications

BEST USES

- Vehicles w/ Low Clearance · ATVs / UTVs
- Light Duty Equipment
 Lawn Mowers

MODEL BTU81176T

CAR HAVLERS



CLASSIC

GVWR: Up to 9,990 LB **Carrying Capacity:** Up to 8,115 LB **Length:** 192" - 240"

See inside back cover for complete product specifications

BEST USES

- Cars and Trucks
 Medium Duty Equipment
- Material Hauling
 - ATV/UTV's

TOP FEATURES

- Bolt-On Aluminmun Fenders
- 4 D-Ring Tie Downs

TOP ACCESSORIES

- Spare Tire and Mount
- Front Rock Guard
- Rear Stabilizing Legs
- Back-up Lights



MADE IN THE USA



CLASSIC TRAILER DESIGN OPTIONS



STRAIGHT DESIGN



BEAVERTAIL DESIGN



TILT DECK

Manual Hydraulic: GVWR: Up to 9,990 LB Carrying Capacity: Up to 8,050 LB Length: 218" - 242" Tilt Angle: 8 - 9° includes control valve

See inside back cover for complete product specifications

BEST USES

- Cars and Trucks
- Medium Duty Equipment
- Material Hauling
 - ATV/UTV's



MODEL BTC81242T

RECREATIONAL TRAILERS

3 MODELS



ATV

GVWR: Up to 2,990 LB Carrying Capacity: Up to 2,330 LB Length: 120" - 168"

See inside back cover for complete product specifications

TOP FEATURES

• Front Rock Guard

TOP ACCESSORIES

- Side Loading Only Curled Front Rail With
- Spare Tire and Mount Traction Mats
- Integrated Ramp Storage All Aluminum Trailer & Deck



MOTORCYCLE

GVWR: Up to 2,550 LB Carrying Capacity: Up to 2,100 LB Length: 120" - 132"

See inside back cover for complete product specifications

TOP FEATURES

- V-Front Design
- Aerosmart Bi-fold End Ramp
 V Front Rock Guard
- Stake Pockets
- All Aluminum Trailer & Deck
 Wheel Chock
- **TOP ACCESSORIES**
- · Spare Tire and Mount
- 24" Open Side Kit
- - D-Ring Tie Downs

SNOWMOBILE

GVWR: Up to 4,400 LB Carrying Capacity: Up to 3,100 LB Length: 120" - 264"

See inside back cover for complete product specifications

TOP FEATURES

- All-Aluminum Frame
- Custom Extruded Deep Side Rail

MODEL BTM65120S

- 5%" Marine Grade Decking Traction Mats
- Salt Shield / Drive Off
- Ramps (Select Models)

MODEL BTS99192S

- Tie Down Bar w/Crank Handle
- **TOP ACCESSORIES** Spare Tire and Mount



6 MODELS





PARTS & ACCESSORIES



UTILITY TRAILER STRAIGHT FRONT ROCK GUARDS

(extruded aluminum, 24" total height)

BTA0120	53" Front Rock Guard, 24" Total Height
BTA0121	65" Front Rock Guard, 24" Total Height
BTA0122	76" Front Rock Guard, 24" Total Height
BTA0123	79" Front Rock Guard, 24" Total Height
BTA0124	80" Front Rock Guard, 24" Total Height
BTA0125	81" Front Rock Guard, 24" Total Height
BTA0126	82" Front Rock Guard, 24" Total Height

MOTORCYCLE TRAILER FRONT ROCK GUARDS

BTA0042V-Font Rock Guard (53 X 120V Motorcycle Trailer)BTA0043V-Font Rock Guard (65 X 120V Motorcycle Trailer)BTA0044V-Font Rock Guard (76 X 132V Motorcycle Trailer)

81" WIDE TANDEM AXLE UTILITY TRAILER ACCESSORIES

BTA0109Bolt-on Stake Pocket, LargeBTA00551 - Recessed D-Ring Tie Down Kit (6,000 lb)BTA0108Rear Stabilizing Leg Kit
(contains parts for 1 side of trailer)BTA0057Back-up Light Kit

UTILITY TRAILER STRAIGHT FRONT ROCK GUARDS

(extruded aluminum, 12" total height, for use with 12" solid sides)

- BTA014153" Front Rock Guard, 12" Total HeightBTA014265" Front Rock Guard, 12" Total Height
- BTA0143 76" Front Rock Guard, 12" Total Height
- BTA0145 80" Front Rock Guard, 12" Total Height
- BTA0147 82" Front Rock Guard, 12" Total Height

CAR HAULER ACCESSORIES

- BTA0015 Bolt-on Stake Pockets
- BTA0014 Rear Stabilizing Leg Kit (contains parts for 1 side of trailer)
- BTA0055 1– Recessed D-Ring Tie Down Kit (6,000 lb)
- BTA0056 Front Aluminum Tool Box
- BTA0106 Kit, Mini Ramp 3-Board (Tilt CH)
- BTA0057 Back-up Light Kit

SIDE RAMPS & END GATES

BTA0067Bi-Fold Side Gate (Utility and HD Utility)BTA00879" Tilt Utility End KitBTA00481" Tilt Utility End KitBTA004181" Slingshot® Ramp Accessory (Fits BTU81176T)V00247153" x 48" Straight One Piece RampV00247065" x 48" Straight One Piece RampV00246976" x 48" Straight One Piece RampV00246380" x 48" Straight One Piece RampV00246882" x 48" Straight One Piece Ramp

SIDE KIT RAILS

UTILITY TRAILER OPEN **FRONT KIT**

(1 Rail Front, Used with 10" and 12" Open Side Kits)

BTA0180	1-Rail, 53"
BTA0181	1-Rail, 65"
BTA0182	1-Rail, 76"
BTA0183	1-Rail, 80"
BTA0184	1-Rail, 82"

UTILITY TRAILER OPEN SIDE KITS (12" tall, 2 rail driver

and passenger sides, requires front kit)

BTA0170	2-Rail, 12" x 96"
BTA0171	2-Rail, 12" x 120"
BTA0172	2-Rail, 12" x 144"
BTA0173	2-Rail, 12" x 168"
BTA0174	2-Rail, 12" x 192"

UTILITY TRAILER OPEN SIDE KITS

(10" tall, 1 rail driver and passenger sides, requires front kit or rock guard)

BTA0191 1-Rail, 10" x 120" BTA0192 1-Rail, 10" x 144"

UTILITY TRAILER OPEN FRONT KIT (24" tall, 3 rail front, sides required)

BTA0185	3-Rail, 53"
BTA0186	3-Rail, 65"
BTA0187	3-Rail, 76"
BTA0188	3-Rail, 80"
BTA0153	3-Rail, 81"
BTA0189	3-Rail, 82"

UTILITY TRAILER OPEN SIDE KITS (24" tall, 3 rail driver and passenger sides,

requires front kit or rock guard)

BT.

BTA0175	3-Rail, 24" x 96"
BTA0176	3-Rail, 24" x 120"
BTA0177	3-Rail, 24" x 144"
BTA0178	3-Rail, 24" x 168"
BTA0149	3-Rail, 24" x 170"
BTA0179	3-Rail, 24" x 192"
BTA0150	3-Rail, 24" x 194"
BTA0151	3-Rail, 24" x 218"
BTA0152	3-Rail, 24" x 242"

ELECTRIC BRAKE REPLACEMENT PARTS

50142 Breakaway Kit with Charger

SPARE TIRE CARRIER

BTA0012 Spare Tire Side Rail Mount Spare Tire Tongue Mount BTA0032 50145 U Bolt Tire Carrier (snowmobile trailers only)

MOTORCYCLE TRAILER WHEEL CHOCKS

BTA0047 4.5" Wheel Chock BTA0046 7" Wheel Chock

TIRES/WHEELS

- 10" Painted Spoke Wheel and Tire 50121 50003 13" Painted Spoke Wheel and Tire 13" Aluminum Wheel and Tire 50863
- 50010 14" Painted Spoke Wheel and Tire
- 14" Aluminum Wheel and Tire 50864
- 15" Aluminum Wheel and Tire (6 bolt) 50861
- 50866 15" Aluminum Wheel and Tire (5 bolt)

LIGHTS & ELECTRICAL

- 50034 LED Utility Tail Light (right) 50034 LED Utility Tail Light (left) 50153 LED Utility Rear I.D. Bar 50210 LED Utility Clearance Light 50109 Utility Tail Light (right) 50110 Utility Tail Light (left) 50114 Utility Rear I.D. Bar (mid/rear)
- 50111 Utility Clearance Light (front/side)

END GATE PARTS

V001906	21.5" End Gate Brace
V001384	29.5" End Gate Brace
V001572	33.25" End Gate Brace
V001574	33.5" End Gate Brace
V003206	Passenger Side End Gate Brace
	(BTU76144 with 3,500# axle)
V003205	Driver Side End Gate Brace
	(BTU76144 with 3,500# axle)
V001570	Rubber Latch Handle (medium)
50116	Rubber Grommet
	(for end gate brace)

UTILITY TRAILER SOLID SIDE KITS

(24" tall, passenger and drivers side, requires front kit or rock guard) BTA0130 24" x 96" BTA0131 24" x 120" 24" x 128" BTA0132 BTA0133 24" x 144" BTA0134 24" x 152" BTA0135 24" x 168" BTA0136 24" x 170" BTA0137 24" x 176" BTA0138 24" x 194" BTA0139 24" x 218" BTA0140 24" x 242"

UTILITY TRAILER SOLID SIDE KITS

(12" tall, passenger and drivers side, requires front kit)

BTA0148	12" x 96"
BTA0127	12" x 120"
BTA0128	12" x 144"
BTA0129	12" x 168"

BI-FOLD SIDE LOAD OPEN SIDE KITS (requires front kit or rock guard)

(requires	from kit of fock guard)
BTA0162	3-Rail, 24" x 144"
BTA0163	3-Rail, 24" x 168"
BTA0067	Bi-fold Side Gate
	(Utility and HD Utility,
	doesn't require sides or front)

SIDE LOAD OPEN SIDE KITS (requires rock guard)

BTA0159 3-Rail, 24" x 144" BTA0160 3-Rail, 24" x 168" BTA0161 3-Rail, 24" x 192"

TILT TRAILER OPEN SIDE KITS

BTA0010	79" Front Rail Kit (open)
BTA0006	81" Front Rail Kit (open)
BTA0007	120" Open Side Kit
	(25" tall, no end gate, fits 128")
BTA0005	144" Open Side Kit
	(25" tall, no end gate, fits 152")
BTA0003	
	(25" tall, no end gate, fits 176")

MOTORCYCLE TRAILER OPEN SIDE KITS

	120" V Open Side Kit
BTA0098	120" V Open Side Kit
	(24" tall, fits 53" and 65" wide)
BTA0099	76" x 132" V Open Side Kit
	(24" tall)
BTA0100	80" x 142" V Open Side Kit
	(24" tall)

FENDERS

DRIVER SIDE

DRIVER S	IDE	Axle
V001737	9" Utility Fender	Single
V001741	10" Utility Fender	Single
V001747	10" Utility Fender	Tandem
V001890	9" Tilt Utility Fender	Single
V001427	10" Tilt Utility Fender	Singe
V002997	10" Utility Fender	Single 3.5

PASSENGER SIDE

V001738 9" Utility Fender V001740 10" Utility Fender V001748 10" Utility Fender V001155 9" Tilt Utility Fender V001432 10" Tilt Utility Fender V002998 10" Utility Fender

MISC. FENDERS

V001509 Car Hauler Fender (Driver and Passenger Side) V002662 HD Utility (Driver and Passenger Side) V002997 10" Backer Mount (Driver Side) V002998 10" Backer Mount (Passenger Side)

ige igle 3.5 Axle Single

Single

Single

Tandem

Single Single 3.5 Axle

Tandem

Tandem

12

MODEL SPECIFICATIONS



SINGLE AXLE UTILITY TRAILERS

Model BTU53096S BTU53120S BTU65096S BTU65120S BTU65144S BTU76120S BTU76144S BTU82120S BTU82144S BTU82144S BTU76120F BTU76144F BTU76144F	Bed Width 53" 53" 65" 65" 65" 65" 76" 76" 82" 82" 76" 76" 76" 76" 76" 76" 76" 76" 76" 76	Bed Length 96" 120" 96" 120" 120" 144" 120" 144" 120" 144" 120" 144" 120"	Carrying Capacity 1,800 lbs 1,800 lbs 1,800 lbs 1,800 lbs 1,700 lbs 1,775 lbs 1,775 lbs 1,775 lbs 1,775 lbs 1,775 lbs 1,775 lbs 2,430 lbs 2,390 lbs 2,350 lbs	GVWR 2,100lbs 2,165 lbs 2,125 lbs 2,200 lbs 2,200 lbs 2,200 lbs 2,190 lbs 2,190 lbs 2,200 lbs 2,200 lbs 2,200 lbs 2,990 lbs 2,990 lbs	Axle 2,200# Torsion 2,200# Torsion 2,200# Torsion 2,200# Torsion 2,200# Torsion 2,200# Torsion 2,200# Torsion 2,200# Torsion 2,200# Torsion 3,500# Torsion 3,500# Torsion	No. of Axles 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Tire Size ST175-80-R13-C ST175-80-R13-C ST175-80-R13-C ST175-80-R13-C ST175-80-R13-C ST175-80-R13-C ST175-80-R13-C ST175-80-R13-C ST175-80-R13-C ST175-80-R13-C ST205-75-R1 SC ST205-75-R1 SC ST205-75-R14C	Trailer Weight 300 lbs 365 lbs 325 lbs 390 lbs 500 lbs 425 lbs 415 lbs 440 lbs 425 lbs 450 lbs 560 lbs 600 lbs
		. = .	/	/	- /	1 1 1 1	0.200.00.00	

*GVWR and Carrying Capacity listed without electric brakes

TANDEM AXLE UTILITY TRAILERS

Model	Bed Width	Bed Length	Carrying Capacity	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTT80168F	80"	168"	2,130 lbs	2,990 lbs*	2,200# Torsion	2	ST175-80-R13-C	860 lbs
BTT80168F	80"	168"	3,505 lbs	4,400 lbs	2,200# Torsion	2	ST175-80-R13-C	895 lbs
BTT80192F	80"	192"	2,080 lbs	2,990 lbs*	2,200# Torsion	2	ST175-80-R13-C	910 lbs
BTT80192F	80"	192"	3,455 lbs	4,400 lbs	2,200# Torsion	2	ST175-80-R13-C	945 lbs
BTT81170S	81"	170"	5,810 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14-C	1,190 lbs
BTT81194S	81"	194"	5,760 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14-C	1,240 lbs
BTT81218S	81"	218"	5,710 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14-C	1,290 lbs
BTT81242S	81"	242"	5,660 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14-C	1,340 lbs
BTT81267S	81"	267"	5,660 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14-C	1,400 lbs

*GVWR and Carrying Capacity listed without electric brakes

TILT UTILITY TRAILERS

Model	Bed Width	Bed Length	Carrying Capacity	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTU81128T	81"	128"	2,340 lbs*	2,990 lbs**	3,500# Torsion	1	ST205-75-R14-C	650 lbs
BTU81152T	81"	152"	2,290 lbs*	2,990 lbs**	3,500# Torsion	1	ST205-75-R14-C	700 lbs
BTU81176T	81"	176"	2,240 lbs*	2,990 lbs**	3,500# Torsion	1	ST205-75-R14-C	750 lbs
BTU79152T	79"	152"	4,115lbs	5,000 lbs	5,200# Torsion	1	ST225-75-R1 5-D	885 lbs
BTU79176T	79"	176"	4,050 lbs	5,000 lbs	5,200# Torsion	1	ST225-75-R15-D	950 lbs

*Carrying capacity = 2,750 lbs with optional brakes

**GVWR without electric brakes

ATV/UTV TRAILERS

Model	Bed Width	Bed Length	Carrying Capacity	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTX82120S	82"	120"	2,330 lbs	2,810 lbs	3,000# Torsion	1	20.5X8X10-E	480 lbs
BTX82144S	82"	144"	2,330 lbs	2,855 lbs	3,000# Torsion	1	20.5X8X10-E	525 lbs
BTX82168S	82"	168"	2,330 lbs	2,990 lbs	3,000# Torsion	1	20.5X8X10-E	660 lbs

MOTORCYCLE TRAILERS

Model	Bed Width	Bed Length	Carrying Capacity	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTM53120S	53"	120"	1,800 lbs	2,175 lbs	2,200# Torsion	1	ST175-80-R13-C	375 lbs
BTM65120S	65"	120"	1,765lbs	2,175 lbs	2,200# Torsion	1	ST175-80-R13-C	410 lbs
BTM76132S	76"	132"	2,100lbs	2,550 lbs	3,000# Torsion	1	ST175-80-R13-C	450 lbs

SNOWMOBILE TRAILERS

Model	Bed Width	Overall Width		Carrying Capacity	GVWR	Axle Type	# of Axles	Brake Option	Tire Size		Tongue Jack	Ramp
BTS99120T	99.25"	101.5"	120"	1,380 Lbs.	1,870 lbs	2,200# Torsion	1	N/A	18.5x8C	490#	Opt.	N/A
BTS99144S	99.25"	101.5"	144"	1,580 Lbs.	2,200 lbs	2,200# Torsion	1	N/A	20.5x10C	620#	Opt.	Std.
BTS99192S	99.25"	101.5"	192"	1,990 Lbs.	2,991 lbs	2,200# Torsion	2	2	ST175-80R13(C)	1,000#	Std.	Std.
BTS99240S	99.25"	101.5"	240"	3,200 Lbs.	4,400 lbs	2,200# Torsion	2	2	ST175-80R13(C)	1,200#	Std.	Std.
BTS99264S	99.25"	101.5"	264"	3,100 Lbs.	4,400 lbs	2,200# Torsion	2	2	ST175-80R13(C)	1,300#	Std.	Std.

CAR HAULERS

Model	Bed Width	Bed Length	Capacity	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTC81216S	81"	216"	5,650 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14C	1,350 lbs
BTC81192B	81"	192″	5,650 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14C	1,350 lbs
BTC81216B	81"	216"	5,600 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14C	1,400 lbs
BTC81240B HD	81"	240"	8,115 lbs	9,990 lbs	5,200# Torsion	2	ST225-75-15D	1,875 lbs

TILT CAR HAULERS

Model	Bed Width	Bed Length	Capacity	GVWR	Axle	No. of Axles	Tire Size	Trailer Weight
BTC81218T	81"	218"	5,500 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14C	1,500 lbs
BTC81242T	81"	242"	5,450 lbs	7,000 lbs	3,500# Torsion	2	ST205-75-14C	1,550 lbs
BTC81242T HD	81"	242"	8,050 lbs	9,990 lbs	5,200# Torsion	2	ST225-75-15D	1,940 lbs



BUILT TOUGH FOR YOUR NEXT ADVENTURE!





FACEBOOK



INSTAGRAM



YOUTUBE

S Z.M



WEBSITE

Bear Track Trailers 803 Central Ave N Brandon, MN 56315

1-800-417-0504 info@beartrackproducts.com www.BearTrackTrailers.com



© 2023 Voyager Industries, Inc. LIT701 Rev. I. 8/23. All written and visual data contained in this document are based on the latest product information available at the time of publication. Voyager Industries reserves the right to make changes at any time without notice. All other brand names or marks are used for identification purposes and are trademarks of their respective owners.